## COLOUR INKJET WORKFORCE PRO WF-C869R



# ECONOMY AND PRODUCTIVITY THAT ARE OFF THE CHARTS.

## HIGH PRODUCTIVITY

With a Replaceable Ink Pack System (RIPS), the Epson WorkForce Pro WF-C869R is designed to fit all your business printing needs, by taking care of the details. Save printing costs and minimise downtime with high-capacity ink packs capable of printing up to 86,000 pages in black or 84,000 pages in colour. Achieve high-quality and high-speed printing with PrecisionCore<sup>™</sup> printhead, with draft print speeds of up to 35ppm and resolutions of up to 4,800 x 1,200 dpi.

UP TO 86,000 PRINTS







CJ A3

With option of large or standard ink packs.

## IT'S IN THE DETAILS.

## High Quality and Productivity

Print up to 4,800 x 1,200 dpi and enjoy unparalleled productivity with no warm-up time and fast first page out time of less than 6 seconds.

## Versatile Paper Handling

Expand paper handling capabilities with optional paper cassettes and a rear tray for special media.

## **Exceptional Low Running Costs**

Maximise cost-savings with Epson's extremely highyield replaceable ink packs, capable of printing up to 86,000 pages in black or 84,000 pages in colour.



HIGH VOLUME

Equipped with high-yield replaceable ink packs and powered by PrecisionCore<sup>™</sup> technology, the WF-C869R has the speed and performance required for office, commercial and industrial printing. Coupled with a package of security, connectivity and functional features, you'll be set to keep your business' productivity at its peak.

## **High Quality and Productivity**



Enjoy default print speeds of up to 24 ipm and draft print speeds of up to 35 ppm for both black and colour prints with PrecisionCore™ printheads. This revolutionary technology delivers professional output quality at blazing speeds.

Achieve excellent print resolution of  $600 \times 600$  dpi for standard prints and up to 4,800 x 1,200 dpi for prints with special media, with no warm-up time and a fast first page-out time of less than 6 seconds.

## Versatile Paper Handling

The WF-C869R can be upgraded with additional paper cassettes to support up to 1,835 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media. What's more, a cabinet can be added for convenient storage of additional paper and spare consumables.



## **Connectivity Features**

## **Network Connectivity and Standalone Capability**

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct, NFC and USB 3.0, the WF-C869R is perfect for office environment. Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time. And with EpsonNet Config, you can easily change your network settings remotely.



## **Exceptional Low Running Costs**



With Epson's Replaceable Ink Pack System (RIPS), exorbitant printing costs are a thing of the past. The revolutionary RIPS features four ink supply units and a waste ink box, giving you uninterrupted printing of up to 86,000 pages in black or up to 84,000 pages in colour. With such page yields, you enjoy maximum cost savings and minimum running costs.

Available in standard or large yield ink packs.

/	Consumables		Page Yield*	Order Code
	Large Black Ink Pack		86,000 pages	C13T974100
	Large Cyan Ink Pack	٦		C13T974200
	Large Magenta Ink Pack	}	84,000 pages	C13T974300
	Large Yellow Ink Pack	J		C13T974400
	Standard Black Ink Pack		22,500 pages	C13T973100
	Standard Cyan Ink Pack	٦		C13T973200
	Standard Magenta Ink Pack	}	22,000 pages	C13T973300
	Standard Yellow Ink Pack	J		C13T973400
	Maintenance Roller (1 <sup>st</sup> Paper Cassette)		200,000 pages	C13S210048
	Maintenance Roller (2 <sup>nd</sup> -4 <sup>th</sup> Paper Cassette)		200,000 pages	C13S210049
	Maintenance Box			C13T671400
	Options			Order Code
	500-sheets Option Paper Cas	sette		C12C932611
	Option Cabinet			C12C932891
	Authentication Device Table			C12C932921
	* In accordance with ISO 24711/24712. A			

In Bacotal de window 24 million 24 million 24 million 24 million window 24 million 24 mi

## **Epson Connect Enabled**

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- **Epson iPrint** Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

## Other mobile solutions:

- Apple<sup>®</sup> AirPrint<sup>™</sup>
- Google Cloud Print<sup>™</sup>
- Mopria<sup>™</sup> Print Service

## **Convenient Ease of Use**



## **Automatic Duplex Printing**

Supports automatic duplex printing of up to 16 ipm for A4 and 11 ipm for A3, reducing paper wastage.



#### 5" LCD Screen

Experience easy set-up and PC-less operation with a 5" colour touch screen.



## **USB Host Function**

Comes equipped with a USB port so you can print, scan and save faxes directly to your memory devices.



#### **One-pass Duplex Scanner**

Scan with impressive speed in both simplex and duplex. The dual CIS technology allows duplex scanning in a single pass, resulting in significant improvements in office productivity.



## Optional Authentication Device Table

An optional Authentication Device Table for placement of the card reader\* allows convenient tapping of cards.

\*Card Reader not included.

## **NFC Enabled\***

Near Field Communication (NFC) enables users to conveniently print or scan by touching a compatible device to the printer. The WorkForce WF-C869R supports the following NFC functions:

- **Tap to Install**: If Epson iPrint is not installed in your Android Device, touching the device to the printer opens the Epson iPrint installation page in Google Play Store.
- **Touch to Launch**: If Epson iPrint is already installed in your Android device, touching the device to the printer launches it.
- Touch to Print / Scan: Select the function within Epson iPrint on your Android device, then touch the printer to print the selected photo or scan a document placed on the scanner.

\*For compatible Android<sup>™</sup> devices only.

## **Robust Security Features**

## **Limited Access Function**

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

## LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

#### Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

## **IP Address Filter**

Secure your documents by preventing unauthorised devices from connecting to the printer.

## Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

## **Efficient Print Job Management**

With our convenient and accessible print management features, printing across your work groups has never been easier.

## Print Job Arranger Lite

This printing tool allows users to merge multiple print jobs and change print settings such as double-side printing, orientation, colour mode and multipage layout up to 4-up. Users can also rearrange the page order of print jobs between applications.

## **Print Job Interruption**

With this feature, users can interrupt the print queue when there is an urgent print job. Interrupted print jobs are paused and can be resumed later once the urgent tasks are completed. In addition, users can cancel the print job from the control panel even when the printer is in the process of printing.

## **Page Recovery**

Minimise downtime and missing pages when a printer error occurs. The printer will automatically restart the printing from the last printed sheet once the error has been rectified.

## **Optional Software**

## **Epson Device Admin**

With Epson Device Admin, you can now manage, monitor and configure your Epson device fleet easily. It is compatible with a large range of networked printers and scanners, and all information can be viewed via one smart, intuitive interface.

#### Epson Device Admin Functions:

- Manage Epson devices in groups.

- Receive automatic alerts when the device runs out of consumables or faces an error for quick response.
- Generate reports automatically for cost-savings activities or implementing managed print services.
- Configure multiple devices efficiently with templates to simplify large deployments.

## **Epson Print Admin**

Epson Print Admin provides authentication function tool that helps to reduce cost through user restriction, cost-setting and rule-based printing. This software will increase security through authentication of each user, limit functions for each user, setting rules for printing and generating usage reports for auditing.

## **Document Capture Pro\***

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

\*Limited functionality for Mac version of Document Capture software.

## **Document Capture Pro Server\*\***

Document Capture Pro Server helps to centralise your scanning and manage your fleet of scanners without the need to install drivers on individual computers.

\*\*Only for Windows Server OS.

## **Remarkably Energy Saving**

Epson WF-C869R gives you significant energy savings. Unlike conventional laser copiers/printers, it uses no heat and is more environmentally friendly.

#### **SPECIFICATIONS** WORKFORCE PRO WF-C869R



MODEL NUMBER	WF-C869R	Dimensions & Weight
Printing Print Method	PrecisionCore™ Printhead	WF-C869R
Nozzle Configuration	400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)	Weight: 64.1kg (141.3lb)
Print Direction	Bi-directional printing, Uni-directional printing	
Maximum Resolution	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)	APRON CO
Minimum Ink Droplet Volume Print Speed <sup>11</sup>	4.6 pl	acian and
Max Draft Text - Memo (A4)	Approx. 35 ppm / 35 ppm (Black#1 / Colour#2)	
ISO 24734, A4, Simplex	Approx. 24 ipm / 24 ipm (Black / Colour)	E
ISO 24734, A4, Duplex	Approx. 16 ipm / 16 ipm (Black / Colour)	
ISO 24734.2, A3, Simplex ISO 24734.2, A3, Duplex	Approx. 13 ipm / 13 ipm (Black / Colour) Approx. 11 ipm / 11 ipm (Black / Colour)	
First Page Out Time	Approx. 6.0 sec / 6.0 sec (Black / Colour)	
Printer Language	ESC/P-R	
Printer Control Language Emulations	PCL5c / PCL6 / PostScript3 / PDF (ver1.7)	
Maximum Monthly Duty Cycle	75,000 pages per month	787mm (31.0")
Automatic 2-sided printing Copying	Yes	
Copy Speed		
ISO 29183, A4, Simplex (Flatbed)	Approx. 22 ipm / 21 ipm (Black / Colour)	WF-C869R with 2 x Opt
ISO 24735, A4, Simplex (ADF)	Approx. 22 ipm / 21 ipm (Black / Colour)	Cassettes & Cabinet
ISO 24735, A4, Duplex (ADF) Maximum Copies from Standalone	Approx. 15 ipm / 15 ipm (Black / Colour) 999 copies	Weight: 111.5kg (245.8k
Max Copy Resolution	600 x 600 dpi	
Reduction/Enlargement	25 - 400%, Auto Fit Function	IPRON
Copy Paper Size (Flatbed)	A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, 13x18cm, 16:9, 10x15cm, #10, DL, C4, C6	Louis .
Maximum Copy Size Scanning	A3	1.
Scanner Type	Flatbed Colour Image Scanner	
Sensor Type	CIS	
Optical Resolution	1,200 x 2,400 dpi	
Maximum Scan Area	297.18 x 431.8 mm (11.7 x 17")	000
Scanner Bit Depth Colour	30-bit input, 24-bit output	and a second
Grayscale	10-bit input, 8-bit output	
Black & white	10-bit input, 1-bit output	
Scan Features	Scan to Memory Device, Scan to Network Folder/FTP, Scan to Email, Scan to Computer	
Scan Speed (A4 Landscape)	(Document Capture Pro), Scan to Computer (WSD) Flatbed ADF Simplex ADF Duplex	-
Monochrome 200dpi	4.0 sec 25 ppm 45 ipm	
Colour 200dpi	5.0 sec 25 ppm 45 ipm	
ADF Function	E0.400 a/m²	787mm (31.0")
Support Paper Thickness Paper Capacity	52-128 g/m² 50 pages (80 g/m²)	10/1111 (01.0 )
Automatic 2-sided Scan / Copy / Fax	Yes	
Fax Function		
Type of Fax	Walk-up Black-and-white and Colour Fax Capability	
Receive Memory / Page Memory Error Correction Mode	6 MB, Page Memory Up to 550 pages (ITU-T No.1 chart) ITU Group3 Fax with Error Correction Mode	
Fax Speed (Data Transfer Rate)	Up to 33.6 kbps, Approx. 3 sec/page	
Fax Resolution		
Black & White	Standard: 8 pels/mm x 3.85 lines/mm, Fine: 8 pels/mm x 7.7 lines/mm, Super Fine: 8 pels/mm x 15.4 lines/mm,	
Colour	Ultra Fine: 16 pels/mm x 15.4 lines/mm, Photo: 8 pels/mm x 7.7 lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 dpi	
Transmission Paper Size		*1 Print speed (Pages Per Mir on A4 plain paper in the fas
Flatbed	A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17"	on A4 plain paper in the ta may vary depending on sy
ADF	A5, B5, Letter, A4, Legal, B4, A3, 11 x 17"	document complexity, soft
Receiving Paper Size Speed Dial / Group Dial	A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17" Up to 2,000 numbers, 1,999 groups	connectivity. Print speed d on host computer.
Fax Features	PC Fax (Transmission/Receive), Automatic Redial, Address Book, Delay Send, Transmit Reservation	on nost computer.
	(200 cases), Broadcast Fax (Mono Only)	
Paper Handling	Ficting Food	
Paper Feed Method Number of Paper Trays	Friction Feed 3 (Front 2, Rear 1)	and a second sec
Paper Hold Capacity	<u> </u>	Marchine and an an and a second secon
Input Capacity	Up to 835 sheets (80 g/m <sup>2</sup> ) (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 85 sheets)	
Maximum Input Capacity	Up to 1,835 sheets (80 g/m <sup>2</sup> ) (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 85 sheets + 2 x Optional Cassettes: 500 x 2 sheets)	#1 #2 Black Text Black Text an
Output Capacity	(Cassette 1: 250 sheets + Cassette 2: 500 sheets + Hear Slot: 85 sheets + 2 x Optional Cassettes: 500 x 2 sheets)	Black Text Black Text and Graphics
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, Letter, Envelopes: #10, DL, C6, C4	*2 Default mode in accordance
Maximum Paper Size	A3+, 329 x 1200 mm (12.95 x 47.24")	
Printer Interface	Current annord LICE 2.0	
USB Network	Super-speed USB 3.0 Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/a/n), Wi-Fi Direct, NFC	
	Ethemal (1000BASE-17/100BASE-17/10BASE-1), WI-FI (IEEE 802: 11b/g/1), WI-FI Direct, NFC	
Network Protocol		
Network Protocol Network Printing Protocol	LPD, IPP, PORT9100, WSD	
Network Printing Protocol Network Management protocols	LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD	
Network Printing Protocol Network Management protocols Security Features	LPD, IPP, PORT9100, WSD	
Network Printing Protocol Network Management protocols	LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD	
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Biltering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)	
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5 <sup>o</sup> ), A6, 10 x 15 cm (4 x 6 <sup>o</sup> ), 13 x 18 cm (5 x 7 <sup>o</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>o</sup>	@ 2010 Econo Standard
Network Printing Protocol Network Management protocols Security Features <b>USB Host Function</b> Type of Direct Printing USB Host Direct Print Paper Size <b>Mobile and Remote Printing</b>	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Biltering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)	
Network Printing Protocol Network Management protocols Security Peatures USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service	Reproduction in part or in who
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LOD Screen	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5 <sup>o</sup> ), A6, 10 x 15 cm (4 x 6 <sup>o</sup> ), 13 x 18 cm (5 x 7 <sup>o</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>o</sup>	Reproduction in part or in who permission from Epson, is stri
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10	Reproduction in part or in who permission from Epson, is stri EXCEED YOUR VISION are re Seiko Epson Corporation. All
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing LCD Screen Printer Software	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5'), A6, 10 x 15 cm (4 x 6''), 13 x 18 cm (5 x 7''), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012	Reproduction in part or in who permission from Epson, is stri EXCEED YOUR VISION are re Seiko Epson Corporation. All other company names used h
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing LCD Screen Printer Software	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x 13 cm (3.5 x 5 <sup>o</sup> ), A6, 10 x 15 cm (4 x 6 <sup>o</sup> ), 13 x 18 cm (5 x 7 <sup>o</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>o</sup> Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0° / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS	Reproduction in part or in who permission from Epson, is strii EXCEED YOUR VISION are re Seiko Epson Corporation. All d other company names used h purposes only and are the trad
Network Printing Protocol Network Management protocols Security Peatures USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5'), A6, 10 x 15 cm (4 x 6''), 13 x 18 cm (5 x 7''), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012	Reproduction in part or in who permission from Epson, is stri EXCEED YOUR VISION are re Seiko Epson Corporation. All other company names used h purposes only and are the trai trademarks of their respective
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x 13 cm (3.5 x 57), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later         100 - 240 V Universal	Reproduction in part or in who permission from Epson, is stri EXCEED YOUR VISION are re Selko Epson Corporation. All other company names used h purposes only and are the tra trademarks of their respective any and all rights in those man
Network Printing Protocol Network Management protocols Security Peatures USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Voltage Rated Voltage	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 57), A6, 10 x 15 cm (4 x 6°), 13 x 18 cm (5 x 7°), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17°         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0° / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later	Reproduction in part or in who permission from Epson, is stri EXCEED YOUR VISION are re Seiko Epson Corporation. All- other company names used h purposes only and are the tra- trademarks of their respective any and all rights in those man are simulations only. Specifica
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing UBB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5 <sup>°</sup> ), A6, 10 x 15 cm (4 x 6 <sup>°</sup> ), 13 x 18 cm (5 x 7 <sup>°</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>°</sup> Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0° / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.68 or later         100 - 240 V Universal         50 - 60 Hz	Reproduction in part or in who permission from Epson, is stri EXCEED VOIR VISION are re Seiko Epson Corporation. All other company names used 1 purposes only and are the tra trademarks of their respective any and all rights in those mai are simulations only. Specifica availability are subject to chan
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x. 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later         100 - 240 V Universal         50 - 60 Hz         40W	© 2019 Epson Singapore Pte Reproduction in part or in whe permission from Epson, is stric EXCEED YOUR VISION are re Seiko Epson Corporation. All other company names used h purposes only and are the trac trademarks of their respective any and all rights in those mar are simulations only. Specifica availability are subject to chan may vary between countries. F Epson offices for more inform
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5 <sup>°</sup> ), A6, 10 x 15 cm (4 x 6 <sup>°</sup> ), 13 x 18 cm (5 x 7 <sup>°</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>°</sup> Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0° / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.68 or later         100 - 240 V Universal         50 - 60 Hz	Reproduction in part or in who permission from Epson, is stirt EXCEED YOUR VISION are re Seike Epson Corporation. All of other company names used h purposes only and are the trad trademarks of their respective any and all rights in those mar are simulations only. Specifica availability are subject to chan may vary between countries. F Epson offices for more informa-
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9 x 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later         100 - 240 V Universal         50 - 60 Hz         40W         20W	Reproduction in part or in who permission from Epson, is stift EXCEED YOUR VISION are re Selko Epson Corporation. All do other company names used h purposes only and are the trat trademarks of their respective any and all rights in those mar are simulations only. Specifica availability are subject to cham may vary between countries. F Epson offices for more informa Apple, iPad and iPhone are tra
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 57), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"         Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0" / 12.7cm TFT Colour LCD         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later         100 - 240 V Universal         50 - 60 Hz         40W         20W         1.6W         0.45W	Reproduction in part or in who permission from Epson, is strit EXCEED YOUR VISION are re Selko Epson Corporation. All other company names used h purposes only and are the trat trademarks of their respective any and all rights in those mar are simulations only. Specifica availability are subject to chan may vary between countries. Epson offices for more inform: Apple, iPad and iPhone are tra
Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Mobile and Remote Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off	LPD, IPP, PORT9100, WSD         SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD         Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode         Memory Devices         USB Host (Scan to Memory Device / Storage Function)         9x 13 cm (3.5 x 5 <sup>o</sup> ), A6, 10 x 15 cm (4 x 6 <sup>o</sup> ), 13 x 18 cm (5 x 7 <sup>o</sup> ), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17 <sup>o</sup> Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print, Mopria Print Service         5.0° / 12.7cm TFT Colour LCD         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows XP / Vista / 7 / 8 / 8.1 / 10         Windows Server 2003 / 2008 / 2012         Only Printing and Scanning Functions are Supported for Windows Server OS         Mac OS X 10.6.8 or later         100 - 240 V Universal         50 - 60 Hz         40W         20W         1.6W	Reproduction in part or in who permission from Epson, is stirt EXCEED VOLR VISION are re Seiko Epson Corporation. All of other company names used h purposes only and are the trat trademarks of their respective any and all rights in those mara are simulations only. Specifica availability are subject to chan may vary between countries. F Epson offices for more informs Apple, iPad and iPhone are tra registered in the U.S. and other



9R with 2 x Optional Paper es & Cabinet 111.5kg (245.8lb)



peed (Pages Per Minute) is calculated when printed plain paper in the fastest mode. Print speed any depending on system configuration, print mode, ent complexity, software, type of paper used and citvity. Print speed does not include processing time at computer.



mode in accordance with ISO7779 for MFPs.

oson Singapore Pte Ltd. All Rights Reserved. tion in part or in whole, without the written n from Epson, is strictly prohibited. EPSON and OUR VISION are registered trademarks of on Corporation. All other products names and npany names used herein are for identification only and are the trademarks or registered s of their respective owners. Epson disclaims I rights in those marks. Print samples shown tions only. Specifications and product are subject to change without notice and between countries. Please check with local ices for more information.

ad and iPhone are trademarks of Apple Inc., in the U.S. and other countries. App Store is a irk of Apple Inc.

Android is a trademark of Google Inc.

Information correct as at April 2019