A4 COLOUR INKJET PRINTERS WORKFORCE PRO WF-C5290/C5790



BUILT FOR YOUR BUSINESS AND THE ENVIRONMENT.



Enjoy low-cost, reliable printing with Epson WorkForce Pro WF-C5290 and WF-C5790 business printers. Delivering fast print speeds of up to 24ipm with a first page-out time of just 4.8 seconds, these printers are built to handle the most demanding print jobs. With a range of printing and connectivity features, this printer series is the ideal solution for small workgroups that require hassle-free, low-maintenance and productiveboosting printing.



Ultra 🌢



With option of standard ink packs or XL black ink pack



WorkForce Pro WF-C5290 Print



WorkForce Pro WF-C5790 Print/Scan/Copy/Fax



IT'S IN THE DETAILS.

With PrecisionCore™ printhead technology, Epson WorkForce Pro WF-C5290/WF-C5790 excels with speed, quality and reliability.

PrecisionCore Printhead Technology Experience enhanced speed, reliability and quality on every print with PrecisionCore technology.



Innovative Replaceable Ink System

Keep budgets low with Epson's Replaceable Ink Pack System (RIPS), which delivers high print volumes at low running costs.

Built For The Environment

Extremely low power consumption and less replacement parts compared to laser printers mean a greater positive impact on the environment.

Fast, reliable and cost efficient, Epson WorkForce Pro business printers deliver outstanding print performance to edge out laser competitors. With an innovative print system and a wide range of connectivity features, the WF-C5290 and WF-C5790 are the printers you need for your everyday business.


PrecisionCore Printhead Technology



PrecisionCore builds on Epson's longstanding reputation for output quality, at the speeds and reliability required for commercial and industrial printing.

This revolutionary technology enables the WF-C5290 and WF-C5790 to print at blazing default print speeds of up to 24ipm and a first page-out time of just 4.8 seconds. What's more, each print chip is capable of generating up to 40 million precise dots per second to deliver fast printing speeds and excellent output quality.

With advanced built-in Nozzle Verification Technology, the monitoring of nozzle health and print quality adjustments are done automatically without interruption, even during printing. Productivity is further enhanced with a reliable maximum monthly duty cycle of 45,000 pages.







Complex technology using heat and pressure

Innovative Replaceable Ink System

Convenience is a top priority. That's why Epson's Replaceable Ink Pack System (RIPS) is designed for easy, hassle-free ink replacements. With each standard ink pack giving you up to 3,000 pages in black or colour and the option to purchase XL black ink pack that prints up to 10,000 pages, you minimise the downtime needed to replace the inks and enjoy greater cost savings.

In addition, Epson's DURABrite[™] Ultra ink delivers laser-like quality prints that are water- and smudge-resistant.



Designed for easy replacement of ink packs

Built for the Environment

Enjoy greater cost-savings with these high-volume ink packs

Energy Saving

Demonstrating Epson's ongoing commitment to cut the environmental impact of printing, the new WorkForce Pros are low-power units that use fewer supplies and much less energy than comparable laser models – reducing environmental impact without compromising on output.

Both Epson WF-C5290 and WF-C5790 have remarkably low TEC values of just 0.2kWh. What's more, power consumption during standard operation is kept at a minimum with the WF-C5290 using only 22W and the WF-C5790 at 25W. These are significantly lower than laser copiers/printers. And unlike conventional laser copiers/printers, they use no heat and are more environmentally friendly.

Superior Productivity



Automatic Duplex Printing and Scanning

Both printers support automatic duplex printing of up to 15ipm for A4, reducing paper wastage. The duplex ADF unit (up to 50 sheets) equipped on the WF-C5790 enables convenient scanning and copying of multi-page documents.



Versatile Paper Handling

Both printers can be upgraded with an additional paper cassette to support up to 830 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media.



USB Host Function

The WF-C5790 comes with a USB port for printing, scanning and saving faxes directly using the memory devices.



LCD Screen

Experience easy set-up and PC-less operation with a 2.4" colour LCD screen on the WF-C5290 and 4.3" colour touch screen on the WF-C5790.

Versatile Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax (WF-C5790), Wi-Fi Direct, NFC and USB 2.0, these printers are perfect for office environments. What's more, Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- **Epson iPrint** Print from and scan directly to your smart device or online cloud storage services.
- **Epson Email Print** Print to any Email Print-enabled Epson printer from any device or PC with email access.
- **Remote Print Driver** Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud (WF-C5790 only) Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple[®] AirPrint[™]
- Google Cloud Print[™]
- Mopria[™] Print Service

Advanced Workflow Solutions

Get the most out of your printers with an extensive range of software solutions.

Fleet Management



Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Print Management



Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through userauthentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

Document Management



nt Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises

barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Document Capture Pro (Windows), Document Capture (Mac OS X)



Document Capture Pro Server

The WF-C5790 is compatible with Document

Pro Server Capture Pro Server, making it easy to seamlessly and locally manage documents. Document Capture Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Integration with Third-party Solutions

Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Pro printers to meet specific and changing business requirements with solutions for print and document management.

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function (WF-C5790 only)

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book (WF-C5790 only)

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

SPECIFICATIONS WORKFORCE PRO WF-C5290/C5790



Nodel Number	WF-C5290	WF-C5790
rrinter Type rrinting	Print	Print, Scan, Copy, Fax with ADF
inting Technology	PrecisionCore Printhead	
ozzle Configuration	400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)	
int Direction aximum Resolution	Bi-directional printing, Uni-directional printing	
inimum Ink Droplet Volume	4800 x 1200 dpi (with Variable-Sized Droplet Technology) 3.8 pl	
int Speed1	<u></u>	
Draft Text - Memo, A4 (Black#1/Colour#2)	Up to 34ppm / 34ppm	
ISO 24734, A4 Simplex (Black/Colour) ISO 24734, A4 Duplex (Black/Colour)	Up to 24ipm / 24ipm Up to 15ipm / 15ipm	
inter Language	Up to Tolpm / Tolpm ESC/P-R	
nulation	PCL5c, PCL6, Compatible with PostScript Level 3, PDF (ver1.7)	
aximum Monthly Duty Cycle ⁻² utomatic 2-sided Printing opying	Up to 45,000 pages Yes (up to A4)	
ppy Speed		
ISO 29183, A4 (Black/Colour, Simplex)	N/A	Up to 22ipm / 22ipm
ISO 24735, A4 (Black/Colour, 1:1) ISO 24735, A4 (Black/Colour, 1:2, 2:2)	N/A N/A	Up to 22ipm / 22ipm Up to 14ipm / 14ipm
py Quality	N/A	Text, Text & Image, Text & Image (Best), Photo
aximum Copies from Standalone	N/A	999 copies
duction / Enlargement	N/A	25 - 400%, Auto Fit Function
aximum Copy Resolution aximum Copy Size	N/A N/A	600 x 1200 dpi A4, Letter
py Paper Size (Flatbed)	N/A	Letter, A4, B5, A5, B6, A6, 16K, 13 x 18 cm, 16:9.
anning		10 x 15 cm, #10, DL, C4, C6
anner Type	N/A	Flatbed colour image scanner
ensor Type otical Resolution	<u>N/A</u> N/A	CIS 1200 x 2400 dpi
aximum Scan Area	N/A	216 x 297 mm (8.5" x 11.7")
canner Bit Depth		
Colour Grevscale	<u>N/A</u> N/A	48-bit input, 24-bit output
Greyscale Black & white	N/A N/A	16-bit input, 8-bit output 16-bit input, 1-bit output
can Speed [Flatbed / ADF (Simplex) / ADF (Duplex)]		· ·
Monochrome 200dpi	N/A	5.0sec / 24ppm / 8.0ipm
Colour 200dpi	N/A	5.0sec / 24ppm / 8.0ipm
pe of Fax	N/A	Walk-up Black-and-white and Colour Fax Capability
eceive Memory / Page Memory	N/A	6MB, Up to 550 pages (ITU-T No.1 chart)
ror Correction Mode	N/A	ITU Group3 Fax with Error Correction Mode
x Speed (Data Transfer Rate) x Resolution	<u>N/A</u> N/A	Up to 33.6kbps, Approx. 3sec/page Up to 200 x 200 dpi
ansmission Paper Size		op to 200 x 200 upi
Flatbed	N/A	A5, B5(JIS), Letter, A4
ADF	N/A N/A	Letter, A4, Legal, A5, B5, 8.5" x 13"
eceiving Paper Size beed Dial / Group Dial	N/A N/A	A5, B5(JIS), Letter, A4, Legal, 8.5" x 13" Up to 200 numbers, 199 groups
x Features	N/A	PC Fax (Transmission / Beceive), Address Book, Delay Se
DF Function		Transmit Reservation (50 case), Broadcast Fax (Mono On
upport Paper Thickness	N/A	_64 - 95 g/m ²
aper Capacity	N/A	50 pages (80g/m²)
ard Slot/ USB Host Function	N/A	USB Host (Scan to memory device / Storage function)
pe of Direct Printing	N/A	USB Memory
aper Handling		
aper Feed Method umber of Paper Trays	Friction feed 2 (Front 1, Rear 1)	2 (Front 1, Rear 1)
aper Hold Capacity	2 (10111, 10011)	2 (1101111, 110011)
Input Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheets Premium	Glossy Photo Paper
Output Consoity	Rear Slot: 80 sheets (80g/m ²)	to Bonor
Output Capacity aper Size	150 sheets (80g/m ²), 20 sheets Premium Glossy Pho 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A6, B6	6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4
aximum Paper Size (Rear Tray)	215.9 x 6,000 mm (8.5 x 236.2")	
int Margin terface	3mm top, left, right, bottom	
SB	USB 2.0	
etwork	Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct, NFC TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD	
etwork Protocol etwork Management Protocols	ICP/IPv4, ICP/IPv6, LPD, IPP, POR 19100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, m	DNS, SNTP, SLP, WSD, LITD
ecurity Functions	Panel Admin Mode, IP Address Filtering,	Limit Access Function, PIN No. Certification, LDAP
obile and Cloud Printing	PIN No. Certification	Address Book, IP Address Filtering, Panel Admin Mode
ison Connect	Epson iPrint, Epson Email Print, Remote Print Driver	Epson iPrint, Epson Email Print, Remote Print Driver,
har Mabila Salutiona	Apple AirDrint Coogle Cloud Drink Mapris Drink Coord	Scan to Cloud
her Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Servi	Ce
CD Screen	2.4" TFT Colour LCD	4.3" TFT Colour Touch LCD
inter Software		·
perating System Compatibility ectrical Specifications	windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Serve	r 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
ted Voltage	AC 100 - 240 V	
ted Frequency	50 - 60 Hz	
wer Consumption		05W
Operating Standby	22W 7.0W	25W 12W
Sleep	1.2W	1.5W
Power Off	0.2W	0.2W
bise Level		
Printing/ Plain Paper Default "3	6.8B(A), 55dB(A) Page Yield *4	6.6B(A), 54dB(A) Order Code
andard Black	3,000	C13T948100
andard Cyan		C13T948200
andard Magenta	3,000 (Composite Yield)	C13T948300
andard Yellow J	10,000	C13T948400 C13T950100
	10,000	
	-	C13T671600
laintenance Box ptions	-	C13T671600 Order Code C12C932871

Dimensions & Weight WF-C5290

Weight: 15.3kg / 33.7lb



WF-C5790 Weight: 18.7kg / 41.2lb



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.

Martin Martinet Barrison Martinet	
#1	#2
Black	Colour

*2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.

*4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and print head maintenance. All inks are used for both black and colour printing.

© 2019 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct as at April 2019

^{*3} Default mode in accordance with ISO7779 for MFPs